

# QUALITY INSPIRATION STYLE DESIGN POWER



# MERCURY DESIGNED FOR PERFECTION

With authentic appeal and insistence for design integrity, interpret your lifestyle with an iconic Mercury cooker. An object of desire for the style conscious, the Mercury range will evolve in any kitchen scheme.

A style icon renowned for its instant professional design, the Mercury range delivers capacity and flexibility in the form of a timeless classic. The alluring elegance of British design provides constant innovation, synonymous with good food and inspirational style.

www.mercuryappliances.co.uk



With authentic appeal and insistence for design integrity, interpret your lifestyle with an iconic Mercury cooker. An object of desire for the style conscious, the Mercury range will evolve in any kitchen scheme.











Glide-out Grill

The separate, robust dual element grill has been beautifully styled and designed to offer adjustable heights with an extendable gliding tray.



#### Powerful Gas Hob

Dual fuel models incorporate five professional standard, single piece burners including a 5kW central burner.



### Hi-Fi Style Controls

Heat control is delivered in style, with 9 eye-catching Mercury designed hi-fi style controls. Each one offers precise cooking control from the hob burners to the ovens and grill.



#### Seal of Quality

With authentic appeal and insistence for design integrity, interpret your lifestyle with an iconic Mercury cooker.



Telescopic Shelving

Tough and durable, yet completely flexible; the ovens are equipped with heavyduty stainless steel shelves including a telescopic shelf, runners and wire work.







00000

# 1000













#### **Dual Fuel**

Dimensions (mm) 990 (w) 638 (d)

920-945 (h) Power Ratings (kW)  $3 \times 3/1 \times 1.7/1 \times 5$ Total Hob Rating (kW) 15.7 2.3

Oven Ratings (kW) 2 x 2.5 Oven Capacity (Litre) 80 (LH), 67 (RH) Max Electrical Load (kW @ 230V) Energy Rating

Grill Rating (kW)

7.4 Α 3 Years\* Warranty

#### Induction

Dimensions (mm) 990 (w)

638 (d) 920-945 (h) 1 x 3.7 / 3 x 3 / 1 x 2.2 Power Ratings (kW) Total Hob Rating (kW) 11.1

Grill Rating (kW) 2.3 Oven Ratings (kW) 2 x 2.5 Oven Capacity (Litre) 80 (LH), 67 (RH) Max Electrical Load

18.4 Α 3 Years\*

(kW @ 230V) Energy Rating Warranty















## **Dual Fuel**

1082

Dimensions (mm)

1082 (w) 638 (d) 920-945 (h) Power Ratings (kW)  $3 \times 3/1 \times 1.7/1 \times 5$ 

Total Hob Rating (kW) 15.7 Grill Rating (kW) 2.3 Oven Ratings (kW) 2 x 2.5 Oven Capacity (Litre) 80 (LH), 82 (RH) Max Electrical Load (kW @ 230V)

Energy Rating Warranty 3 Years\*



#### ^ <sup>™</sup> Induction

1082 (w) 638 (d) 920-945 (h)

Power Ratings (kW)  $1 \times 3.7 / 3 \times 3 / 1 \times 2.2$ Total Hob Rating (kW) 11.1 Grill Rating (kW) 2.3 Oven Ratings (kW) 2 x 2.5

Oven Capacity (Litre) 80 (LH), 82 (RH) Max Electrical Load (kW @ 230V) Energy Rating Warranty

18.4 3 Years\*



1200

**Dual Fuel** 

Dimensions (mm)



1190 (w)

638 (d)

Power Ratings (kW)  $3 \times 3/1 \times 1.7/1 \times 5$ 

Oven Capacity (Litre) 80 (LH), 78 (RH)

2.3

Α

3 Years\*

Total Hob Rating (kW) 15.7

Oven Ratings (kW) 2 x 2.5

Grill Rating (kW)

Max Electrical Load

(kW @ 230V)

Energy Rating

Warranty

920-945 (h)













Dimensions (mm) 1190 (w) 638 (d) 920-945 (h)

Power Ratings (kW)  $1 \times 3.7 / 3 \times 3 / 1 \times 2.2$ Total Hob Rating (kW) 11.1 Grill Rating (kW) Oven Ratings (kW) 2 x 2.5 Oven Capacity (Litre) 80 (LH), 80 (RH) Max Electrical Load

(kW @ 230V) Energy Rating Warranty

Α

18.4 3 Years\*

LPG conversion kits must be ordered separately. For installation and dimensional drawings, visit www.mercuryappliances.co.uk





# SC **HOOD**

Warranty











SC1000 Dimensions (mm) 990 (w) x 620 (d) x 762 (h) max.

LED, 2 x 12V, 2.6W Each 45dB(A) - 62dB(A) Decibel Rating Power Supply 230V 50Hz 3A single phase Blower Airflow 795.8 m3/hr (intensive setting) 3 Years\* Energy Rating

SC1082

Dimensions (mm) 1082 (w) x 620 (d) x 762 (h) max.

SC1200

Dimensions (mm) 1190 (w) x 620 (d) x 762 (h) max.

Ducting not supplied. Recirculation kits must be ordered separately.



## PC **HOOD**







Dimensions (mm) 990 (w) x 620 (d) x 762 (h) max.



#### PC1000

LED, 2 x 12V, 2.6W Each 45dB(A) - 62dB(A) 230V 50Hz 3A single phase 795.8 m3/hr (intensive setting) 3 Years\*

PC1082

Dimensions (mm) 1082 (w) x 620 (d) x 762 (h) max.

PC1200

Dimensions (mm) 1190 (w) x 620 (d) x 762 (h) max.

Ducting not supplied. Recirculation kits must be ordered separately.



# BUILT-IN FM900

Duct Size Light Type Decibel Rating Power Supply Blower Airflow Warranty

Energy Rating

LED, 2 x 12V, 2.6W Each 44dB(A) - 62dB(A) 230V 50Hz 3A single phase 787.4 m3/hr (intensive setting)

3 Years\*

Dimensions (mm) 900 (w) x 280 (d) x 292 (h)

Ducting not supplied. Recirculation kits must be ordered separately.



# SS **SPLASHBACK**

Dimensions (mm) 1000 (w) x 15 (d) x 800 (h)

Dimensions (mm) 1082 (w) x 15 (d) x 800 (h)

Dimensions (mm) 1200 (w) x 15 (d) x 800 (h)



# QUALITY INSPIRATION STYLE DESIGN POWER



Mercury Appliances, Clarence St, Royal Leamington Spa, Warwickshire, CV31 2AD

T: +44 0800 804 6261 / 0370 789 5107 E: consumer@mercuryappliances.co.uk W: www.mercuryappliances.co.uk

Trade Enquiries

T: +44 (0)115 9464000

E: sales@mercuryappliances.co.uk

**AGA** RANGEMaster







April 2016 4/16/D008079